

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the present application:

Listing of Claims:

Claim 1 (currently amended): A mobile handset keypad comprising an array of keys positioned on a surface of a mobile housing for user interface with the mobile, said array of keys comprising:

at least one alphanumeric key;

at least one integral navigation and alphanumeric key; and

B1
at least one illumination source proximate to the at least one integral navigation and alphanumeric key, the at least one illumination source configured to illuminate based on the at least one integral navigation and alphanumeric key being in one of a navigation mode and an alphanumeric mode.

~~a toggle key for toggling between an alphanumeric and a navigation mode.~~

Claim 2 (currently amended): The mobile keypad of claim 1 further comprising a toggle key for toggling between the alphanumeric and the navigation mode. ~~wherein said toggle key automatically toggles between an alphanumeric and a navigation mode based upon data input during user interface.~~

Claim 3 (currently amended): The mobile keypad of claim 1 wherein said wherein
the at least one integral navigation and alphanumeric key automatically toggles
between the alphanumeric and the navigation mode based upon data input during user
interface. ~~toggle key manually toggles between an alphanumeric and a navigation mode~~
~~when operated by the user.~~

Claim 4 (original): The mobile keypad of claim 1 wherein said at least one integral
navigation and alphanumeric key comprises:

B) a first integral navigation and alphanumeric key comprising an up
navigation function and an alphanumeric function;

a second integral navigation and alphanumeric key comprising a down
navigation function and an alphanumeric function;

a third integral navigation and alphanumeric key comprising a right
navigation function and an alphanumeric function;

a fourth integral navigation and alphanumeric key comprising a left
navigation function and an alphanumeric function.

Claim 5 (cancelled).

Claim 6 (currently amended): A mobile handset comprising:

a microprocessor and menu display including software routines for
creating and displaying a menu;

a housing including a front face with openings for touch keys and said display and containing said microprocessor;

a plurality of switches within said housing;

a keypad within said housing comprising an array of keys projecting through the openings in the front face of said housing, each interacting with one corresponding switch;

the array of keys including:

at least one alphanumeric key;

at least one integral navigation and alphanumeric key; and

at least one illumination source proximate to the at least one integral navigation and alphanumeric key, the at least one illumination source configured to illuminate based on the at least one integral navigation and alphanumeric key being in one of a navigation mode and an alphanumeric mode.

~~one of said switches being a toggle switch for controlling through a corresponding toggle key the mode of operation of a selected number of said other keys and corresponding switches;~~

~~said select number of keys and corresponding switches comprising combined navigation and alphanumeric keys, said alphanumeric keys and corresponding switches providing a telephone dialing and menu display input function when in an alphanumeric mode of operation and alternatively a menu navigation control mode of operation; and~~

~~means for differentiating said combined alphanumeric and navigation keys from other keys.~~

Claim 7 (currently amended): The mobile handset of claim 6 further comprising a toggle key for toggling between the alphanumeric and the navigation mode, wherein ~~said differentiating means comprises graphical elements on the front face of the housing.~~

Claim 8 (currently amended): The mobile handset of claim 6 wherein the at least one integral navigation and alphanumeric key automatically toggles between the alphanumeric and the navigation mode based upon data input during user interface, ~~wherein said differentiating means comprises a backlighting panel that illuminates said combined navigation and alphanumeric keys when said keys are in navigation control mode of operation.~~

Claim 9 (currently amended): The mobile handset of claim 6 wherein the at least one integral navigation and alphanumeric key further includes indicia thereon, the at least one illumination source comprising a backlighting panel illuminating the indicia, & ~~wherein said differentiating means additionally comprises at least one housing surface area associated with said combined navigation and alphanumeric keys that is illuminated by said backlighting panel when said keys are in navigation control mode.~~

Claim 10 (cancelled).

Claim 11 (original): The mobile handset of claim 6 additionally comprising means for sensing user input data so as to automatically toggle said combined navigation and alphanumeric keys into navigation control mode.

Claim 12 (original): The mobile handset of claim 6 additionally comprising means for sensing user input data so as to automatically toggle said combined navigation and alphanumeric keys into alphanumeric mode.

B/ **Claim 13 (original):** The mobile handset of claim 6 additionally comprising means for automatically toggling said combined alphanumeric and navigation keys into alphanumeric mode when said menu displays options requiring alphanumeric mode input.

Claim 14 (original): The mobile handset of claim 6 additionally comprising a dual function key and associated switch for sending stored dialing information and entering user input when in alphanumeric mode and alternatively selecting menu options when in navigation control mode.

Claim 15 (original): The mobile handset of claim 6 additionally comprising a dual function key and associated switch for ending a telephone call when in alphanumeric mode and alternatively moving up in the menu hierarchy when in navigation control mode.

Claim 16 (new): The mobile keypad of claim 4 wherein the at least one illumination source comprises:

a first illumination source proximate to the first integral navigation and alphanumeric key;

bd a second illumination source proximate to the second integral navigation and alphanumeric key;

a third illumination source proximate to the third integral navigation and alphanumeric;

a fourth illumination source proximate to the fourth integral navigation and alphanumeric key.
